

A hand is shown holding a long, thin, glowing white light fixture. The light is bright and uniform along its length. The background is solid black, making the light stand out. The hand is positioned on the left side of the frame, with the fingers gripping the fixture. The lighting is soft on the hand, highlighting its texture.

rayhil

redefine brilliance

RIB LUMINARY

Rib Luminary is a sleek, linkable linear fixture that delivers uniform, diode-free illumination in a clean, finished design — offering a modern alternative to traditional strip light for both surface and recessed application





Rib Luminary

The Rib Luminary is a groundbreaking lighting solution that offers a distinct and minimalist alternative to traditional strip lighting. With its seamless linking capability, the Rib Luminary provides a sleek and continuous lighting effect that is both visually appealing and highly functional




RIB AC

Rib AC luminary impresses with its ultra-slim profile and sleek plastic casing, a perfect combination of form and function. As a complete fixture, the Rib AC is a start to finish solution providing you with quick and easy install




RIB DC

The Rib DC Luminary is renowned for its ultra-slim silhouette, setting a new standard in space-saving design. Its aluminum heat-conducting casing ensures efficient heat dissipation, and with its easy installation




Color Temperature


The Rib Luminary is available in a range of color temperatures to complement virtually any environment. From the warm, inviting glow of 2700K to the crisp, daylight-inspired appearance of 5000K, each option is designed to enhance the mood and functionality of a space. Whether creating a comfortable residential atmosphere or a bright commercial setting, Rib delivers consistent, high-quality illumination tailored to the application



Application

The Rib Luminary is designed to adapt seamlessly to a wide range of environments. Whether recessed with magnetic clips, mounted using 3M adhesive, or secured with brackets, its versatile installation options make it ideal for undercabinet, shelving, display, millwork, and accent lighting applications. The slim profile integrates cleanly into virtually any space while delivering consistent, high-quality illumination.





Available in a range of modular lengths from 4" to 59", RIB makes it easy to create a clean, continuous undercabinet lighting layout with minimal waste. Short connector sections simplify installation around cabinet breaks, while longer runs reduce visible joints for a seamless appearance. Offered in both AC and DC configurations, the system adapts to everything from compact residential kitchens to large-scale commercial millwork

RIB AC Length

4IN
8IN
12IN
35IN
47IN
59IN

RIB DC Length

4IN
8IN
12IN
35IN
47IN
59IN



RIB AC

- Uniform, diode-free lighting
- Up to 36.4ft run length in seamless connection
- Surface and Recessed Mount
- Multiple lengths and Color Temperatures
- 5 Year warranty
- ETL Certified

Specifications

Lumens	50LM/W
Wattage	3W/FT
Input Voltage	120V
Color Temperature:	27K, 30K, 35K, 40K, 50K
Beam Angle	120°
Application	Surface Mount, Recessed
Operating Temperature	-20°C to 45°C
Environment	IP20
Warranty	5 Year
Dimming	Triac
Chip	SMD 2835
Certification	UL, CE
Max Run	39.4FT
CRI	90



RIB DC


- Uniform, diode-free lighting
- Up to 16.4ft run length in seamless connection
- Surface and Recessed Mount
- Multiple lengths and Color Temperatures
- 5 Year warranty
- ETL Certified

Specifications


Lumens	70LM/W
Wattage	4W/FT
Input Voltage	24V
Color Temperature:	27K, 30K, 35K, 40K, 50K
Beam Angle	120°
Application	Surface Mount, Recessed
Operating Temperature	-20°C to 45°C
Environment	IP20
Warranty	5 Year
Dimming	In-Line Dimming, PWM
Chip	SMD 2835
Certification	UL, CE
Max Run	16.4FT
CRI	90

RIB AC MOUNTING

The RIBAC can connect seamlessly with the help of a coupling connector, which creates an uninterrupted light source. Mounting options available are 3M adhesive backing, mounting clips and magnetic fastenings



Accessories




RIB AC MOUNTING

The Rib DC allows for various method of mounting. Integrated magnets along the fixture provide for a seamless fixation to any surface. Mounting clips attach to fixture. Angled mounting clips are available for wall washing applications.



Accessories



rayhil corp