

redefine brilliance



Modern, rotatable recessed lighting that offers elegance and durability.



Introducing

Sonic Multiple Series

2 and 3 head recessed LED downlight

The Sonic Multiple Series strikes a balance between elegant design and durability. With air-tight construction, this fixture is appropriate for various settings including locations that may get damp or humid. Additionally, the Sonic Multiple Series employs maximum performance LED chips that will ensure longevity and quality of light.



Features

- · Air-tight and damp location approved
- Type IC rated approved for direct contact with insulation
- Isolated driver inside junction box
- New Construction plate available
- Extruded aluminum heat sink ensures optimal heat dissipation and LED life
- 360° rotatable Gimbal with 30° horizontal tilt

Specifications

| Input Voltage | 110/277V AC |
|----------------|---------------------------------------|
| Wattage | 12W |
| Lumen | 1750lm |
| Efficacy(LPW) | >75 lm/W |
| Color Temp | 30K, 35K, 40K (CCT adj.) |
| CRI | >90 |
| Beam Angle | 15°/ 24°/36° |
| Dimming | Triac/ 0-10V |
| Lamp Life | 50,000hr |
| Environment | Damp Location |
| Material | Aluminum Body with Anodized Heat Sink |
| Operating Temp | -4°F - 104°F |





Ordering Guide

This comprehensive order guide provides all options for the Sonic Multiple Series. Custom options and requests can be submitted to lnfo@rayhil.com. The Sonic Multiple Series is Energy Star and ETL rated.

| Trim | Head | Wattage | Color temp | Input Voltage | Beam Angle | Trim Finish | EM |
|------|------------------|-------------|------------------------------------|------------------|-------------------|----------------------|----|
| RAD | 2 head 3 head | 12 (1750lm) | 3000k 3500k 4000k CCT ADJ | 110 277 | 15° 24° 36° | WT White BK Black | EM |

Ready to Discuss Your Project? **Get In Touch** ⊠ info@rayhil.com

212.931.1230



