


rayhil

redefine brilliance



Linkable, minimalistic, and modern - the Lexline Linear Series showcases a design embodying the new generation of lighting.



Introducing

---

# Lexline

---

## Linear Series

The minimalistic silhouette of the Lexline showcases the modern design that elevates the new generation of lighting. The sleek aluminum body is available in White, Brushed Nickel, and Black finishes so that you may choose whichever aesthetic fits your desire. Each Lexline can be linked to create a continuous line of seamless illumination. Options for emergency battery backup and Motion sensor configuration are available as well. The Lexline is ETL, CETL and Energy Star approved, with a 5 year warranty.




# A size for every application

The Lexline Linear Series offers a wide variety of sizing and configuration options not available with more traditional linear lighting. Ranging from 1 ft. to 8 ft. fixtures, this product offers unparalleled flexibility when it comes to application in commercial settings. Whether you're looking to install streamlined lighting to a closet, kitchen, or other recessed space, the Lexline Linear Series adds a stylish touch.

# Specifications

|                              |                          |
|------------------------------|--------------------------|
| <b>Input Voltage</b>         | 120-277V 60Hz            |
| <b>Efficacy</b>              | 110lm/W                  |
| <b>Color Temperature</b>     | 30K, 40K, 50K (CCT adj.) |
| <b>Dimming</b>               | Non Dimmable/ 0-10       |
| <b>CRI</b>                   | 90                       |
| <b>Environment</b>           | IP42                     |
| <b>Application</b>           | Surface/ Suspended       |
| <b>Beam Angle</b>            | 170                      |
| <b>Lamp Life</b>             | 50,000hr                 |
| <b>Operating Temperature</b> | -20°C ~ 40°C             |
| <b>Certification</b>         | ETL/CETL                 |
| <b>Linkable</b>              | Up to 600W               |
| <b>Body</b>                  | Steel                    |
| <b>Lense Opacity</b>         | Frosted                  |





# Linking the Lexline Together.

This fixture sets itself apart from other commercial lighting thanks to its ability to be linked together, mounted, or suspended. With this breadth of configurations, you save time by having to source a single solution that's adaptable to your project needs.



Fixture to Fixture Connection





# Ordering Guide

The comprehensive order guide provides all options for the Lexline Linear Series. Custom options and requests can be submitted to [Info@rayhil.com](mailto:Info@rayhil.com). The Lexline Linear Series is Energy star and ETL rated.

| Model | Length | Wattage | Lumens | Color Temp                            | Finish     | Driver                        |
|-------|--------|---------|--------|---------------------------------------|------------|-------------------------------|
| LEX   | 1FT    | 10W     | 1100lm | 3000K<br>4000K<br>5000K<br>(CCT Adj.) | WT White   | (Leave blank) Non-Dim<br>0-10 |
|       | 2FT    | 15W     | 1650lm |                                       | BK Black   |                               |
|       | 3FT    | 25W     | 2750lm |                                       | BN Brushed |                               |
|       | 4FT    | 40W     | 4400lm |                                       | Nickel     |                               |
|       | 6FT    | 45W     | 4950lm |                                       |            |                               |
|       | 8FT    | 60W     | 6600lm |                                       |            |                               |

| Model    | Description           |
|----------|-----------------------|
| LE-SK    | 4 FT Suspension Wire  |
| LEX-1M-C | 1 Meter Coupling Wire |
| LEX-2M-C | 2 Meter Coupling Wire |
| LEX-3M-C | 3 Meter Coupling Wire |
| LEX-1M-P | 1 Meter Power Plug    |
| LEX-2M-P | 2 Meter Power Plug    |
| LEX-3M-P | 3 Meter Power Plug    |

Ready to Discuss  
Your Project?  
**Get In Touch**

✉ [info@rayhil.com](mailto:info@rayhil.com)

☎ 212.931.1230

🌐 [rayhil.com](http://rayhil.com)

