
PROJECT: PREPARED BY: TYPE:

STK
STRIKE























FEATURES

The Strike series grants creative opportunities that are seldom seen in the Lighting industry. Each space can be uniquely transformed by these LED Linear Strips. Unlimited shapes and formations can be designed to ensure a timeless intrigue. The SCOB Strip technology creates a seamless and transitional light output, without any interruptions such as with standard LED Chips. Black and White finishes available.

SPECIFICATIONS

Diffuser	PC diffused cover
Length	Custom lengths available up tp 40 ft.
Lumens	Up to 533lm/ft
Weight	0.252kg/m
Max LED Strip Width	10mm
Material	Silicone
Finish	Black / White
Installation	Wall Mounting

ORDERING GUIDE

STK - - - ***Example: STK-16-30-BK***

Type	Length	Color Temperature	Wattage	Lumens	Voltage	Finish
STK	Custom Length available up to 40FT.	**27** 2700K **30** 3000K **35** 3500K **40** 4000K	4.6W/FT	412LM/FT 506LM/FT 515LM/FT 524LM/FT 533LM/FT	24V	**BK** Black

*CONTACT FOR QUICKSHIP OPTIONS


- Runs can not exceed 20 feet per home run
- Maximum driver distance of 20 feet before voltage drop (with 18 gage wire)
- Driver sold separately

* COMPATIBLE WITH ELECTRONIC DRIVER ONLY *

PROJECT: PREPARED BY: TYPE:


STK
STRIKE


SCOB STRIP ROLL




•Lumens	Up to 533LM/FT	• Dimming	Triac
• Wattage	4.6W/FT	• Length per Roll	20ft.
• Input Power	24V	• Ambient Temperature	-20 °C to 40 °C
• CRI	90	• Height x Width	0.08” x 0.39”
• LED Chip	SCOB	• Adhesive	3M
• Environment	IP20	• Warranty	5 years
• Maximum Run	20ft.		
• Certification	UL		


3000K







3500K





4000K





rayhil

STK
STRIKE

DRIVERS

*Driver sold separately



Model	LB55500
Wattage	120W
Dimensions	7.74” × 4.07” × 1.57”
Temperature	IP67
Dimming	Triac/MLV/ELV/0-10V



Model	LB55461
Wattage	30W
Dimensions	4.25” x 3.25” x 1.5”
Temperature	IP67
Dimming	Triac / MLV / ELV



Model	LB55501
Wattage	200W
Dimensions	8.17” × 4.57” × 1.57” IP67
Temperature	Triac/MLV/ELV/0-10V
Dimming	



Model	LB55463
Wattage	60W
Dimensions	4.25” x 3.25” x 1.5”
Temperature	IP67
Dimming	Triac / MLV / ELV



Model	LB55502
Wattage	300W
Dimensions	9.13” × 4.57” × 1.57”
Temperature	IP67
Dimming	Triac/MLV/ELV/0-10V



Model	LB55465
Wattage	96W
Dimensions	4.25” x 3.25” x 1.5”
Temperature	IP67
Dimming	Triac / MLV / ELV