

STRIKE

Timeless intrigue and unlimited customization through LED Architectural strip lights

Strike Series

Elevate your design aspirations with the Strike Architectural Strip Light, an embodiment of imagination and limitless possibilities. This exposed strip light transcends the conventional, becoming a canvas for your creative vision. Securely fastened from wall to wall or ceiling, its innovative design becomes the medium through which unique lighting focal points are achieved





Strike Series

With the ability to be meticulously pulled and stretched up to an astounding 40 feet, this architectural marvel enables you to shape your interior's ambiance like never before. Illuminate spaces with your distinct flair, as the Strike Architectural Strip Light transforms into a conduit for artistic expression, turning each room into a personalized masterpiece of light and design

Strike Series Inspire endless curiosity in your space The Strike Series grants creative opportunities seldom seen in the lighting industry. These LED linear strips transform your space through unlimited shapes and formations to ensure timeless intrigue. The fixture's COB Strip technology creates a seamless and transitional light output without interruptions, such as with standard LED chips. Black and white finishes are available to elevate your space's elegance.

Color Temperature

Lighting is the foundation for any space, and selecting the right color temperature is an important choice that will determine the overall mood. The Strike Series offers various color temperatures with a 90 CRI output allowing you to enjoy pure and saturated brilliance in your environment.

Warm White

The soft warm light that is emitted from 3000 Kelvin creates an enticing and welcoming environment that beckons you to enter

Natural White

Modern and minimalistic, 3500 Kelvin light will enhance your environment with a balanced and nurturing glow

Day Light

4000 Kelvin sets your room in a clear, day-light infused setting that will make you feel refreshed





Lumens per ft; 426lm

Specifications

Diffuser	PC diffused cover
Length	Custom lengths available up to 40 ft
Weight	0.252kg/m
Max LED Strip Width	10mm
Material	Silicone
Finish	Black / White
Installation	Wall Mounting

COB Strip Light Specs

Wattage	4.6W/FT
Input Power	24W
CRI	80
LED Chip	СОВ
Environment	IP20
Maximum Run	20ft
Certification	UL / ETL
Dimming	Triac
Length per Roll	20ft.
Ambient Temperature	-20°Cto 40°C
Height x Width	0.08" x 0.39
Adhesive	3M
Warranty	5 years



The end terminal of the strike architectural strip light is tightly screwed to achieve its taut appearance. By securely fastening the end terminal, the strip light is held in place with minimal slack or sag. This meticulous installation ensures a sleek and streamlined aesthetic, enhancing the overall visual impact of the architectural lighting design.



Power Supply Drivers



Model LB55488

Wattage 30W

Dimensions 6.5" x 3.6" x 1.02"

IP Rating IP20



Model LB55470
Wattage 120W
Dimensions 8.66" x 3.6" x 1.61"
IP Rating IP20



Model LB55489

Wattage 60W

Dimensions 7.4" x 3.6" x 1.02"

IP Rating IP20



Model LB55471
Wattage 200W
Dimensions 10.23" x 4.05" x 1.81"
IP Rating IP20



Model LB55490

Wattage 96W

Dimensions 8.66" x 3.6" x 1.61"

IP Rating IP20



Model LB55472
Wattage 300W
Dimensions 10.94" x 4.25" x 1.81"
IP Rating IP20



Ordering Guide

The comprehensive order guide provides all options for the Strike Series. Custom options and requests can be submitted to <u>info@rayhil.com</u>. The Strike Series is Energy Star and ETL rated.

Туре	Length	Colour Temperature	Wattage	Voltage	Finish
STK	Custom Length available up to 40 FT.	30 3000K 35 3500K 40 4000K	4.6W/FT	24V	BK Black WT White (custom order)

Ready to Discuss Your Project?

Get In Touch





