




# FLORA 22

## RECTANGLE IN-WALL

### TERRAIN SERIES



## FEATURES

- In Wall Application
- Protective Glass Plate
- Wall Wash optics
- Multiple Color Temperature Available

## SPECIFICATIONS

Wattage	3W	LED	2835SMD LED
Lumens	160-180LM	Housing	Passivated Aluminum CNC machined
Input Voltage	AC100-245V 50/60Hz	Trim	Black
CCT	2700K/3000K/4000K/6000K	Cut Out	4"L x 2.6"W x 2.1" H
CRI	80+	Dimension	4.1"L x 3.2"W x 1.6" H
Beam Angle	45° x 120°	Driver	Built-in high voltage constant current driver
Dimming	Non-Dimmable	Accessories	Mounting box
IP Rating	IP65	Warranty	3 Years
IK Rating	IK06	Certification	CE, RoHS

## ORDERING GUIDE

F22 - \_\_\_\_\_ *Example: F22-3-27-WW-BK*

Model	Wattage	Color Temp.	Optics	Finish	Optional Accessories
F22	<b>3</b> 3W	<b>27</b> 2700K <b>30</b> 3000K <b>40</b> 4000K <b>60</b> 6000K	<b>WW</b> 45° x 120°	<b>BK</b> Black	Mounting box (Included with fixture)

**QUICKSHOP OPTION: F22-3-30-WW-BK**










# FLORA 22 RECTANGLE IN-WALL

TERRAIN SERIES

## DIMENSIONS



## LIGHT DISTRIBUTION CURVE





# FLORA 22

## RECTANGLE IN-WALL

### TERRAIN SERIES

#### NON-DIMMABLE DRIVERS



Model	LB55504
Wattage	60W
Dimensions	7.4" x 3.6" x 1.02"
Temperature	IP20
Dimming	Non-Dimmable



Model	LB55450
Wattage	120W
Dimensions	8.66" x 3.6" x 1.61"
Temperature	IP20
Dimming	Non-Dimmable



Model	LB55451
Wattage	200W
Dimensions	10.23" x 4.05" x 1.81"
Temperature	IP20
Dimming	Non-Dimmable

*\*Flora Landscape Light Fixture are not compatible with Dimmable Drivers*