

PROJECT:

PREPARED BY:

TYPE:

**F15**

FLORA COB IN-GROUND

TERRAIN SERIES



FEATURES

- Stainless Steel Finish
- Multiple Color Temperature Available
- IK08 Rating
- COB Len Optics

SPECIFICATIONS

Wattage	9W	LED	CREE COB LED
Input Voltage	DC24V	Housing	Soild Passivated Aluminum CNC machined
CCT	2700K/3000K/4000K/6000K	Trim	Stainless steel
CRI	80+	Cut Out	3"
Beam Angle	10°/15°/ 28°	Driver	Remote Power Supply
Dimming	Non-Dimmable	Accessories	Mounting sleeve/ Honeycomb
IP Rating	IP67	Warranty	3 Years
IK Rating	IK08	Certification	CE, RoHS

ORDERING GUIDE

F15 - 9 - _____ - _____ - ST **Example: F15-9-27-10-ST**

Model	Wattage	Lumen	Dimension	Color Temp.	Beam Angle	Finish	Optional Accessories
F15	9 9W	750LM	3.1" D x 3" H	27 2700K 30 3000K 40 4000K 60 6000K	10 10° 15 15° 28 28°	ST Stainless Steel	Installation Sleeve Honeycomb (Included with fixture)






F15

FLORA COB IN-GROUND


TERRAIN SERIES

DIMENSIONS


9W



Without Installation sleeve




With Installation sleeve



LIGHT DISTRIBUTION CURVE

9W, 3000K, 38°





F15

FLORA COB IN-GROUND

TERRAIN SERIES

NON-DIMMABLE DRIVERS



Model	LB55504
Wattage	60W
Dimensions	7.4" x 3.6" x 1.02"
Temperature	IP20
Dimming	Non-Dimmable



Model	LB55450
Wattage	120W
Dimensions	8.66" x 3.6" x 1.61"
Temperature	IP20
Dimming	Non-Dimmable



Model	LB55451
Wattage	200W
Dimensions	10.23" x 4.05" x 1.81"
Temperature	IP20
Dimming	Non-Dimmable

**Flora Landscape Light Fixture are not compatible with Dimmable Drivers*