




# RAD35ADJ

## SONIC 3.5 ADJUSTABLE

3.5" RECESSED LED DOWNLIGHT



### FEATURES

- Air-tight and wet location approved
- Type IC rated - approved for direct contact with insulation
- Universal Voltage and Dimming
- Adjustable Tilt up to 25 Degree
- Quick connect wire allows for efficient installation
- New construction plate available
- Optional Emergency Backup
- 5 Year Warranty



### SPECIFICATIONS

Wattage	15W
Lumens	1250LM
Input Voltage	120-277V
CCT	5CCT Select / 1800K - 3000K
Efficacy	>82LM/W
CRI	>90
Beam Angle	15°/24°/36°/50°
Dimming	Triac & 0-10V
Environment	IP65 Wet Location
Material	Aluminum Body with Anodized Heat Sink
Operating Temperature	-4°F - 104°F
Lamp Life	50,000 hrs
Cut Out	4"

### ORDERING GUIDE

RAD35ADJ - R - 15 - \_\_\_\_\_ - UNV - \_\_\_\_\_ - \_\_\_\_\_ - \_\_\_\_\_ - \_\_\_\_\_ **Example: RAD35ADJ-R-15-CCT-UNV-15-C-WT-EM**

Model	Wattage	Color Temperature	Input Voltage	Beam Angle	Lens	Trim Finish	EM
RAD35ADJ-R	<b>15</b> 15W	<b>CCT</b> CCT Adj. (27K, 30K, 35K 40K, 50K)  <b>DTW</b> 1800K - 3000K (Dim to Warm)	<b>UNV</b> 120-277V	<b>15</b> 15° <b>24</b> 24° <b>36</b> 36° <b>50</b> 50°	<b>C</b> Clear <b>F</b> Frosted	<b>WT</b> White <b>BK</b> Black	EM

**QUICKSHIP CONFIGURATION - 120V 36 DEGREE BEAM ANGLE CLEAR LENSE**







# RAD35ADJ SONIC 3.5 ADJUSTABLE

3.5" RECESSED LED DOWNLIGHT

## DIMENSIONS





# RAD35ADJ SONIC 3.5 ADJUSTABLE

3.5" RECESSED LED DOWNLIGHT


## TRIM COLOR OPTION

White  
Black

WT  
BK



Existing Trim



RAD35R-BK

## FROSTED LENS OPTION






# RAD35ADJ SONIC 3.5 ADJUSTABLE

3.5" RECESSED LED DOWNLIGHT

## ACCESSORIES

### NEW CONSTRUCTION MOUNTING PLATE LB15156

- Constructed out of galvanized steel
- Magnetic plate and driver facilitate easy and secure placement
- Adjustable Hanger Bars up to 24"





# RAD35ADJ SONIC 3.5 ADJUSTABLE



3.5" RECESSED LED DOWNLIGHT

## EMERGENCY BACK UP DRIVER

RAD25/35-EM

90 minute run time

See spec sheet for further information





# RAD35ADJ

## SONIC 3.5 ADJUSTABLE

3.5" RECESSED LED DOWNLIGHT

### COMPATIBLE DIMMERS

<b>LUTRON</b>	LOAD (W)	<b>LEVITON</b>	LOAD (W)
SKYLARK CONTOUR LECL-153P	150W	ILLUMATEC IPL06	150W
SKYLARK CONTOUR CTCL-150H	150W	SURESLIDE 6672	150W
SKYLARK CONTOUR LGCL-153PLH	150W	SURESLIDE 6674	150W
SKYLARK CONTOUR CTCL-153P	150W		
SKYLARK CONTOUR SCL-153P	150W	<b>EATON</b>	
SKYLARK CONTOUR S-600P	600W	SMART DIMMER AAL06	300W
CASETA PD-6WCL	600W		
CASETA PD-5NE	150W	<b>PASS &amp; SEYMOUR</b>	
CASETA PD-10NXD	250W	HARMONY DCL453PTCCCV6	150W
DIVA DVCL-153P	150W		
TOGLER TGCL-153P	150W	<b>GE</b>	
ARIADNI AYCL-153P	150W	ROCKER 10464	150W
MAESTRO MACL-153M	150W	TOGGLE 18027	150W