



# RAD35X ADJ SONIC 3.5 X ADJUSTABLE

3.5" RECESSED LED DOWNLIGHT

## FEATURES



- Air-tight and wet location approved
- Type IC rated - approved for direct contact with insulation
- Universal Voltage and Dimming
- Adjustable Tilt up to 25 Degree
- Quick connect wire allows for efficient installation
- New construction plate available
- Optional Emergency Backup
- 5 Year Warranty

## SPECIFICATIONS



Wattage	20W
Lumens	2000LM
Input Voltage	120-277V AC
CCT	27K, 30K, 35K, 40K, 50K (CCT Adj.)
Efficacy	>87LM/W
CRI	>90
Beam Angle	15°/24°/36°/50°
Dimming	Triac & 0-10V
Environment	IP65 Wet Location
Material	Aluminum Body with Anodized Heat Sink
Operating Temperature	-4°F - 104°F
Lamp Life	50,000 hrs
Cut Out	4"

## ORDERING GUIDE

RAD35 - 20 - \_\_\_\_\_ - UNV - \_\_\_\_\_ - \_\_\_\_\_ - \_\_\_\_\_

**Example: RAD35ADJ-R-20-CCT-UNV-15-C-WT-EM**

Model	Wattage	Color Temperature		Input Voltage	Beam Angle	Lens	Trim Finish	EM
RAD35R	<b>20</b> 20W	<b>CCT</b>	CCT Adj.	<b>UNV</b> 120-277V	<b>15</b> 15°	<b>C</b> Clear	<b>WT</b> White	EM
		<b>30</b>	3000K		<b>24</b> 24°	<b>F</b> Frosted	<b>BK</b> Black	
		<b>35</b>	3500K		<b>36</b> 36°			
		<b>40</b>	4000K		<b>50</b> 50°			
		<b>50</b>	5000K					

**QUICKSHIP CONFIGURATION - 120V 36 DEGREE BEAM ANGLE CLEAR LENS**







# RAD35X ADJ SONIC 3.5 X ADJUSTABLE

3.5" RECESSED LED DOWNLIGHT

## DIMENSIONS





# RAD35X ADJ SONIC 3.5 X ADJUSTABLE

3.5" RECESSED LED DOWNLIGHT


## TRIM COLOR OPTION

White  
Black

WT  
BK



Existing Trim



RAD35R-BK

## FROSTED LENS OPTION






# RAD35X ADJ SONIC 3.5 X ADJUSTABLE

3.5" RECESSED LED DOWNLIGHT

## ACCESSORIES

### NEW CONSTRUCTION MOUNTING PLATE LB15156

- Constructed out of galvanized steel
- Magnetic plate and driver facilitate easy and secure placement
- Adjustable Hanger Bars up to 24"





# RAD35X ADJ SONIC 3.5 X ADJUSTABLE



3.5" RECESSED LED DOWNLIGHT

## EMERGENCY BACK UP DRIVER

RAD25/35-EM

90 minute run time

See spec sheet for further information





# RAD35X ADJ SONIC 3.5 X ADJUSTABLE

3.5" RECESSED LED DOWNLIGHT

## COMPATIBLE DIMMERS

<b>LUTRON</b>	LOAD (W)	<b>LEVITON</b>	LOAD (W)
SKYLARK CONTOUR LECL-153P	150W	ILLUMATEC IPL06	150W
SKYLARK CONTOUR CTCL-150H	150W	SURESLIDE 6672	150W
SKYLARK CONTOUR LGCL-153PLH	150W	SURESLIDE 6674	150W
SKYLARK CONTOUR CTCL-153P	150W		
SKYLARK CONTOUR SCL-153P	150W	<b>EATON</b>	
SKYLARK CONTOUR S-600P	600W	SMART DIMMER AAL06	300W
CASETA PD-6WCL	600W		
CASETA PD-5NE	150W	<b>PASS &amp; SEYMOUR</b>	
CASETA PD-10NXD	250W	HARMONY DCL453PTCCCV6	150W
DIVA DVCL-153P	150W		
TOGLER TGCL-153P	150W	<b>GE</b>	
ARIADNI AYCL-153P	150W	ROCKER 10464	150W
MAESTRO MACL-153M	150W	TOGGLE 18027	150W